

Future predictions of water scarcity in Scotland: impact on distilleries and agricultural abstractors



Policy Brief

Miriam Glendell, Kirsty Blackstock, Kerr Adams, Jack Brickell,
Jean-Christophe Comte, Zisis Gagkas, Josie Geris, David Haro,
Mohamed Jabloun, Alison Karley, Laure Kuhfuss, Kit Macleod,
Shaini Naha, Eleanor Paterson, Mike Rivington, Chloe Thompson,
Kirsty Upton, Mark Wilkinson, Kirsten Williams

Recommendations

- 1. There is a need for a cross-sector process of preparing for a future of water extremes**, as also found by Gosling *et. al.* (2024). We need to move from reaction to adaptation – however transformation of the system is not yet visible.
- 2. Better data on abstraction volumes is needed** (including estimates of those using surface and groundwater under general binding rules) and could be integrated with farm census data to identify areas where both water demand, and vulnerability to water deficit are high. An online water calculator could then be developed to enable farmers and distillers estimate their exposure to future water scarcity, increase the demand for water scarcity adaptation advice and help make strategic adaptation decisions.
- 3. There is an urgent need for enhanced groundwater monitoring across Scotland.** The National Water Scarcity Plan highlights the potential for groundwater to provide more drought-resilient water supplies in response to future water scarcity. However, the lack of information regarding the status of these resources at a catchment scale needs to be addressed to understand where, when and to what extent groundwater is a viable substitute in the long term. A cost-benefit analysis of exploiting deeper groundwater, or the potential for augmenting recharge through, for example, nature-based solutions such as managed aquifer recharge need to be explored.
- 4. Embedding a culture of checking water resource projections (using SEPA's Water Situation Reports) as part of business planning will help with proactive adaptation.** To improve local understanding of conditions for the onset of significant drought, spatial resolution of drought risk assessment could be refined. Focus group participants reported that on occasion, whilst river flows may be above severe drought levels, water resources in upstream locations were already in drought. Therefore, other metrics and data sources, additional to SEPA gauging stations, should be explored, including the use of remote sensing data.
- 5. A clear pathway to options that can be implemented by a variety of businesses** is needed to promote water scarcity in terms of business resilience to risks. Awareness raising is needed for solutions to illustrate potential returns on investment and how they can fit with rotations and existing farm practices. Clarity on funding opportunities for these interventions in the new Agricultural Payments Tiers would be welcome.
- 6. Collective action responses can help mitigate scarcity.** The work of catchment management partnerships that can provide a coordination mechanism, act as a trusted intermediary and reduce the need for busy farmers or distillery managers to undertake relationship building and maintenance activities needs more visibility and support to co-ordinate water resources use at landscape/catchment level.
- 7. The costs of adaptation strategies should be compared to potential costs of water scarcity** to the sectors at the individual business level and at the national scale when assessing (i) abstraction restriction requirements and (ii) potential interventions to support adaptation of the sector to future climate conditions.

Summary

- A five-month research project was undertaken to see what was known about water scarcity in Scotland and how it would affect the livestock, crop and distillery sectors.
- There is a clear direction of travel understandable to focus group participants in terms of more frequent water scarcity, with knock-on effects in terms of costs for those who are in water stressed areas.
- There is less consensus on how to respond to scarcity, with cost of efficiency and substitution measures being cited as major barriers to uptake.

Research Undertaken

- Initial scoping online focus group and interviews with industry stakeholders and screening farm type data to prioritise our sampling for focus groups.
- A rapid scoping and evidence review to inform interactions between drought, water shortages, scarcity and the distilling, livestock and crop sectors.
- New analysis of the impact of future climate change on surface water drought frequency and duration using SEPA abstraction returns, followed by scenario modelling of the impact of future abstractions on surface water drought events.
- New water security framework for current and future groundwater availability developed.
- Three focus groups with livestock farmers (national), mixed farmers (North-East), and arable/horticultural farmers (Fife) (total number of participants = 33) and one focus group with distillers from the Speyside region (total number = 26).
- Focus groups held to raise awareness of water scarcity predictions for Scotland, understand how those working in and with agriculture and distilling in Scotland are currently adapting to water scarcity or will adapt in the future, and to refine the conceptual models being built from the evidence review.

Key findings

- Observed shifts from climatic water surpluses to water deficits in late summer and early autumn for the 2020 – 2049 period are the main drivers of the exposure of most land cover types to climatic stress, depending on their spatial distribution in relation to west vs east geographical gradient. For cultivated land, arable land, mostly located in the eastern part of Scotland, and to a lesser extent improved grassland, were most exposed to climatic water stress.
- Due to geographical co-occurrence, the impacts on agricultural abstractions were similar to those seen for arable land, although a greater proportion of agricultural abstractions fell into areas under future climatic water deficit in April and September than was the case for arable land alone.
- Based on observed data for the recent 1990–2019 period, 20% and 88% of distillery abstractions were in water deficit in March and August, respectively, while almost all distillery abstractions were in continuous water stress between April to July. For the 2020–2049 period, these statistics ranged from no change to almost universal water surplus in March and 95% deficit in August, depending on the specific climate model scenario. Up to 85% of distillery abstractions could be in water deficit in September in the dry future scenario.
- By the middle of the century, mean surface water drought frequency and duration may nearly double, as compared to the baseline (2007–2018) period, from 0.33 to 0.65 events and 31 to 51 days, across 23 study catchments included in this study.
- In the east of Scotland, where long-term average potential recharge is relatively low, abstractions from high-storage sedimentary aquifers will be more secure through drought periods, while abstractions from lower-storage crystalline aquifers and localised superficial aquifers will be more vulnerable to drought. Projected increases in the frequency and intensity of droughts may decrease the future resilience of groundwater abstractions and further work is needed to understand the likely response of Scotland's aquifers to drought at a catchment scale.

- Focus group participants were aware of the risks of water scarcity and were feeling the impacts in terms of affecting yields and herd productivity, whilst input costs for farmers; also by constraining production and increasing energy and capital investment costs for distilleries.
- Focus group participants are adapting to water scarcity, but most farmers are taking more short-term reactive measures and avoiding investment in new sources, instead looking to Scottish Water to invest in increased public water resilience. Distilleries are investing in technical solutions to reduce cooling water requirements, but these can be energy intensive.

Conclusions

- Better data on abstraction volumes, groundwater levels, and water use by different sectors is needed.
- Sectoral water users engaged in the study were fully aware of likely future impacts, they now need the right frameworks to support adaptation responses.
- The agricultural sector sees both opportunities and challenges in future climate changes. However, negatives are likely to outweigh positives, especially due to the increase in climatic extremes and reduced weather predictability.

References

- Gosling, R., Halliday, S., Brown, I., Black, A., Hendry, S. (2024) *Climate Crisis: informing Scotland's actionable mitigation and adaptation response to water scarcity. CRW2022_07*. Centre of Expertise for Waters (CREW). Available at: <https://www.crew.ac.uk/project/crw202207-climate-crisis-informing-scotland's-actionable-mitigation-and-adaptation-response>.

Contributors



Dr. Miriam Glendell

Miriam is a Researcher Leader in Catchment Modelling focusing on inter-disciplinary understanding of the effects of land use on multiple ecosystem services, including water quality and water resources management in catchment systems.

miriam.glendell@hutton.ac.uk



Kirsty Blackstock

Kirsty has a PhD in Sociology and Gender Studies from Australia. She has studied land and water governance for over twenty years at the James Hutton Institute, working in Scotland, UK and Europe.

Kirsty.Blackstock@hutton.ac.uk



Kerr Adams

Kerr is a catchment systems modeller, who focuses on investigating future change impacts on water quality and quantity with stakeholders to inform sustainable water management.

Kerr.Adams@hutton.ac.uk



Jean-Christophe Comte

Jean-Christophe is a reader in hydrogeology at the University of Aberdeen, whose research focus on the assessment and management of groundwater resources and their responses to human pressures and environmental changes.



Dr. Zisis Gagkas

Zisis is an Environmental Researcher, whose work focuses on land, soil and water processes and interactions at a landscape scale for ecosystem services provision, land and soil management, and diffuse pollution and flooding risk mitigation.

zisis.gagkas@hutton.ac.uk

Contributors



Josie Geris

Josie is a Reader in Hydrology, specialised in land use and management effects on hydrological processes.



David Haro

David is Lecturer in Global Hydrology and Water Security focusing on the evaluation and prospective of water resources, climate adaptation, drought risk assessment, reservoir operation and sustainable water allocation, and agricultural water management.



Laure Kuhfuss

Laure is an environmental and agricultural economist working on farmers' adoption of sustainable farming practices.

Laure.kuhfuss@hutton.ac.uk



Shaini Naha

Shaini is a hydrological and hydrochemical modeller, who focuses on modelling and understanding the impacts of hydrological extremes on hydrological processes.

shaini.naha@hutton.ac.uk



Chloe Thompson

Chloe is a research assistant working in the environmental social sciences in the Social, Economic, and Geographic Sciences department at the James Hutton Institute.

chloe.thompson@hutton.ac.uk

Contributors



Kirsty Upton

Kirsty is a senior hydrogeologist at the British Geological Survey, whose research focuses on groundwater resources and resilience both in the UK and internationally.



Mark Wilkinson

Mark is a senior hydrologist whose research focuses on the use of Nature-Based Solutions (NBS) for mitigating and adapting to hydrological impacts of extreme events.



Kirsten Williams

Kirsten has over 18 years of experience in Scottish livestock consultancy. Kirsten's main expertise is in maximising the efficiency of livestock systems and productivity, and has a deep understanding of livestock systems.

Published by CREW – Scotland’s Centre of Expertise for Waters. CREW connects research and policy, delivering objective and robust research and expert opinion to support the development and implementation of water policy in Scotland. CREW is a partnership between the James Hutton Institute and all Scottish Higher Education Institutes. The Centre is funded by the Scottish Government.

This document was produced by:

Miriam Glendell¹, Kirsty Blackstock¹, Kerr Adams¹, Jack Brickell², Jean-Christophe Comte³, Zisis Gagkas¹, Josie Geris³, David Haro³, Mohamed Jabloun¹, Alison Karley¹, Laure Kuhfuss¹, Kit Macleod⁴, Shaini Naha¹, Eleanor Paterson¹, Mike Rivington¹, Chloe Thompson¹, Kirsty Upton², Mark Wilkinson¹, Kirsten Williams⁴.

¹James Hutton Institute, Aberdeen ²British Geological Survey, The Lyell Centre, Research Avenue South, Edinburgh; ³School of Geosciences, University of Aberdeen, Old Aberdeen Campus, Elphinstone Road, Aberdeen; ⁴SAC Consulting, Turriff, AB53 4DY, Scotland

CREW Project Manager: Rebekah Burman

Please reference this policy brief as follows:

Miriam Glendell, Kirsty Blackstock, Kerr Adams, Jack Brickell, Jean-Christophe Comte, Zisis Gagkas, Josie Geris, David Haro, Mohamed Jabloun, Alison Karley, Laure Kuhfuss, Kit Macleod, Shaini Naha, Eleanor Paterson, Mike Rivington, Chloe Thompson, Kirsty Upton, Mark Wilkinson, Kirsten Williams (2024). *Future predictions of water scarcity in Scotland: impact on distilleries and agricultural abstractors. CRW2023_05*. Centre of Expertise for Waters (CREW). Available online at: crew.ac.uk/publications

ISBN: 978-1-911706-29-8

Dissemination status: Unrestricted

Acknowledgements: The underpinning data and capacity for this project drew on a Hydration Chair Crucible funded project ‘Using a detailed abstraction database to plan assessing current and future water resources availability in Scotland’; and the Scottish Government RESAS Strategic Research Program C3-1 Land Use Transformations Project, with additional in-kind contribution from the RESAS Strategic Research Program D2-1 Emerging Water Futures Project. The James Hutton Institute is supported by the Rural & Environment Science & Analytical Services Division of the Scottish Government.

Any factual or interpretational errors are those of the research team and the recommendations are solely those of the research team and do not imply any endorsement by the research funder nor any other body or individual.

We would also like to thank representatives from National Farmers Union of Scotland, Linking Environment and Farming, Quality Meat Scotland, Scottish Agricultural Organisations Society, Scotch Whisky Association, Chivas Brothers, Scottish Malt Distillers Association and the Project Steering Group for their suggestions given during early scoping discussions.

Copyright: All rights reserved. No part of this publication may be reproduced, modified, or stored in a retrieval system without the prior written permission of CREW management. While every effort is made to ensure that the information given here is accurate, no legal responsibility is accepted for any errors, omissions, or misleading statements. All statements, views and opinions expressed in this paper are attributable to the author(s) who contribute to the activities of CREW and do not necessarily represent those of the host institutions or funders.

Cover photographs courtesy of: Paul Glendell www.glendell.co.uk



Centre of Expertise for Waters

**James Hutton Institute
Craigiebuckler
Aberdeen AB15 8QH
Scotland UK**

www.crew.ac.uk

CREW publications can be accessed here:
www.crew.ac.uk/publications



@crew_waters



CREW-scotland

CREW is a partnership between the James Hutton Institute
and all Scottish Higher Education Institutes and Research Institutes.
The Centre is funded by the Scottish Government.



Scottish Government
Riaghaltas na h-Alba
gov.scot